

Emery



Emery 0.5-1.0mm

Emery is a very hard natural mineral

Chemical Analysis

| | % |
|--------------------------------|---------|
| Al ₂ O ₃ | 61-67 |
| Fe ₂ O ₃ | 24-25 |
| SiO ₂ | 5-8 |
| TiO ₂ | 2.5-4.0 |
| MgO | 0.2-0.7 |
| CaO | 0.3-1.5 |


Physical Data

| | |
|------------------------------------|-----------|
| Particle Shape | Angular |
| Colour | Dark Grey |
| Specific Gravity g/cm ³ | 3.5-4.1 |
| Bulk Density g/cm ³ | 1.6-1.9 |
| Hardness (Mohs) | 8.5-9.5 |
| Polished Stone Value | 85 |
| Aggregate Abrasion Value | 2.29 |
| Loss on Ignition | 2.2-3.0% |

Commodity Code

2513 200000

Particle Size Distribution



Packing

25 kilo bags on pallets of 1000 kilos and bulk bags

Issue 3 February 2016

All information is given in good faith but is indicative only and does not constitute a specification.

Boud Minerals Limited

West Bank, Sutton Bridge
Lincolnshire PE12 9UR, UK
Tel: +44 (0)1406 351988
Fax: +44 (0)1406 350897
Email: sales@boud.com
Web: www.boud.com

Boud Minerals AB

Håkantorpsvägen 109
SE-26391 Höganäs, Sweden
Tel: +46 42 333741
Fax: +46 42 333829
Email: sweden@boud.com
Web: www.boud.com

Emery 0.8-1.7mm

Emery is a very hard natural mineral

Chemical Analysis

| | % |
|--------------------------------|---------|
| Al ₂ O ₃ | 61-67 |
| Fe ₂ O ₃ | 24-25 |
| SiO ₂ | 5-8 |
| TiO ₂ | 2.5-4.0 |
| MgO | 0.2-0.7 |
| CaO | 0.3-1.5 |


Physical Data

| | |
|------------------------------------|-----------|
| Particle Shape | Angular |
| Colour | Dark Grey |
| Specific Gravity g/cm ³ | 3.5-4.1 |
| Bulk Density g/cm ³ | 1.6-1.9 |
| Hardness (Mohs) | 8.5-9.5 |
| Polished Stone Value | 85 |
| Aggregate Abrasion Value | 2.29 |
| Loss on Ignition | 2.2-3.0% |

Commodity Code

2513 200000

Particle Size Distribution



Packing

25 kilo bags on pallets of 1000 kilos and bulk bags

Issue 3 February 2016

All information is given in good faith but is indicative only and does not constitute a specification.

Boud Minerals Limited

West Bank, Sutton Bridge
Lincolnshire PE12 9UR, UK
Tel: +44 (0)1406 351988
Fax: +44 (0)1406 350897
Email: sales@boud.com
Web: www.boud.com

Boud Minerals AB

Håkantorpsvägen 109
SE-26391 Höganäs, Sweden
Tel: +46 42 333741
Fax: +46 42 333829
Email: sweden@boud.com
Web: www.boud.com

Emery 1.0-2.0mm

Emery is a very hard natural mineral

Chemical Analysis

| | % |
|--------------------------------|---------|
| Al ₂ O ₃ | 61-67 |
| Fe ₂ O ₃ | 24-25 |
| SiO ₂ | 5-8 |
| TiO ₂ | 2.5-4.0 |
| MgO | 0.2-0.7 |
| CaO | 0.3-1.5 |


Physical Data

| | |
|------------------------------------|-----------|
| Particle Shape | Angular |
| Colour | Dark Grey |
| Specific Gravity g/cm ³ | 3.5-4.1 |
| Bulk Density g/cm ³ | 1.6-1.9 |
| Hardness (Mohs) | 8.5-9.5 |
| Polished Stone Value | 85 |
| Aggregate Abrasion Value | 2.29 |
| Loss on Ignition | 2.2-3.0% |

Commodity Code

2513 200000

Particle Size Distribution



Packing

25 kilo bags on pallets of 1000 kilos and bulk bags

Issue 3 February 2016

All information is given in good faith but is indicative only and does not constitute a specification.

Boud Minerals Limited

West Bank, Sutton Bridge
Lincolnshire PE12 9UR, UK
Tel: +44 (0)1406 351988
Fax: +44 (0)1406 350897
Email: sales@boud.com
Web: www.boud.com

Boud Minerals AB

Håkantorpsvägen 109
SE-26391 Höganäs, Sweden
Tel: +46 42 333741
Fax: +46 42 333829
Email: sweden@boud.com
Web: www.boud.com

Emery 1.0-3.0mm

Emery is a very hard natural mineral

Chemical Analysis

| | % |
|--------------------------------|---------|
| Al ₂ O ₃ | 61-67 |
| Fe ₂ O ₃ | 24-25 |
| SiO ₂ | 5-8 |
| TiO ₂ | 2.5-4.0 |
| MgO | 0.2-0.7 |
| CaO | 0.3-1.5 |


Physical Data

| | |
|------------------------------------|-----------|
| Particle Shape | Angular |
| Colour | Dark Grey |
| Specific Gravity g/cm ³ | 3.5-4.1 |
| Bulk Density g/cm ³ | 1.6-1.9 |
| Hardness (Mohs) | 8.5-9.5 |
| Polished Stone Value | 85 |
| Aggregate Abrasion Value | 2.29 |
| Loss on Ignition | 2.2-3.0% |

Commodity Code

2513 200000

Particle Size Distribution



Packing

25 kilo bags on pallets of 1000 kilos and bulk bags

Issue 3 February 2016

All information is given in good faith but is indicative only and does not constitute a specification.

Boud Minerals Limited

West Bank, Sutton Bridge
Lincolnshire PE12 9UR, UK
Tel: +44 (0)1406 351988
Fax: +44 (0)1406 350897
Email: sales@boud.com
Web: www.boud.com

Boud Minerals AB

Håkantorpsvägen 109
SE-26391 Höganäs, Sweden
Tel: +46 42 333741
Fax: +46 42 333829
Email: sweden@boud.com
Web: www.boud.com

Emery 3.0-5.0mm

Emery is a very hard natural mineral

Chemical Analysis

| | % |
|--------------------------------|---------|
| Al ₂ O ₃ | 61-67 |
| Fe ₂ O ₃ | 24-25 |
| SiO ₂ | 5-8 |
| TiO ₂ | 2.5-4.0 |
| MgO | 0.2-0.7 |
| CaO | 0.3-1.5 |


Physical Data

| | |
|------------------------------------|-----------|
| Particle Shape | Angular |
| Colour | Dark Grey |
| Specific Gravity g/cm ³ | 3.5-4.1 |
| Bulk Density g/cm ³ | 1.6-1.9 |
| Hardness (Mohs) | 8.5-9.5 |
| Polished Stone Value | 85 |
| Aggregate Abrasion Value | 2.29 |
| Loss on Ignition | 2.2-3.0% |

Commodity Code

2513 200000

Particle Size Distribution



Packing

25 kilo bags on pallets of 1000 kilos and bulk bags

Issue 3 February 2016

All information is given in good faith but is indicative only and does not constitute a specification.

Boud Minerals Limited

West Bank, Sutton Bridge
Lincolnshire PE12 9UR, UK
Tel: +44 (0)1406 351988
Fax: +44 (0)1406 350897
Email: sales@boud.com
Web: www.boud.com

Boud Minerals AB

Håkantorpsvägen 109
SE-26391 Höganäs, Sweden
Tel: +46 42 333741
Fax: +46 42 333829
Email: sweden@boud.com
Web: www.boud.com

Boud

Minerals

Contact us

Call

UK: +44 (0)1406 351988

Sweden: +46 42 333741

Fax

UK: +44 (0)1406 350897

Sweden: +46 42 333829

Email

UK: sales@boud.com

Sweden: sweden@boud.com

Website

www.boud.com

Download the

Boud Minerals App



Boud Minerals Limited

*West Bank, Sutton Bridge
Lincolnshire PE12 9UR
UK*

Boud Minerals AB

*Håkantorpsvägen 109
SE-26391 Höganäs
Sweden*