

BML Pigmented Bauxite



BML Pigmented Bauxite


Colours




1407 Black



1683 Grey



1684 Blue




1685 Green



1686 Red Oxide



1687 Black



1773 Red

BML Pigmented Bauxite 0.5-0.9mm

BML Pigmented Bauxite is Calcined Bauxite colour coated with a polyurethane resin.

Standard Colours:

Black 1682; Blue 1684; Green 1685; Grey 1683; Red 1773; Red Oxide 1686

Chemical Analysis

Calcined Bauxite Base	%
Al ₂ O ₃	75-88
SiO ₂	6-18
TiO ₂	2-3
Fe ₂ O ₃	0.5-2.5
Oxides	0-2.0


Physical Data

Particle Shape	Angular
Specific Gravity g/cm ³	3.70
Bulk Density g/cm ³	2.75-3.1
Hardness (Mohs)	9
Polished Stone Value	70 minimum

Commodity Code

2606 000000

Particle Size Distribution



Packing

25 kilo bags on pallets of 1000 kilos and bulk bags

Issue 1 February 2016

All information is given in good faith but is indicative only and does not constitute a specification.

Boud Minerals Limited

West Bank, Sutton Bridge
Lincolnshire PE12 9UR, UK
Tel: +44 (0)1406 351988
Fax: +44 (0)1406 350897
Email: sales@boud.com
Web: www.boud.com

Boud Minerals AB

Håkantorpsvägen 109
SE-26391 Höganäs, Sweden
Tel: +46 42 333741
Fax: +46 42 333829
Email: sweden@boud.com
Web: www.boud.com

BML Pigmented Bauxite 0.9-1.4mm

BML Pigmented Bauxite is Calcined Bauxite colour coated with a polyurethane resin

Standard Colours:

Black 1682; Blue 1684; Green 1685; Grey 1683; Red 1773; Red Oxide 1686

Chemical Analysis

Calcined Bauxite Base	%
Al ₂ O ₃	75-88
SiO ₂	6-18
TiO ₂	2-3
Fe ₂ O ₃	0.5-2.5
Oxides	0-2.0


Physical Data

Particle Shape	Angular
Specific Gravity g/cm ³	3.70
Bulk Density g/cm ³	2.75-3.1
Hardness (Mohs)	9
Polished Stone Value	70 minimum

Commodity Code

2606 000000

Particle Size Distribution



Packing

25 kilo bags on pallets of 1000 kilos and bulk bags

Issue 1 February 2016

All information is given in good faith but is indicative only and does not constitute a specification.

Boud Minerals Limited

West Bank, Sutton Bridge
Lincolnshire PE12 9UR, UK
Tel: +44 (0)1406 351988
Fax: +44 (0)1406 350897
Email: sales@boud.com
Web: www.boud.com

Boud Minerals AB

Håkantorpsvägen 109
SE-26391 Höganäs, Sweden
Tel: +46 42 333741
Fax: +46 42 333829
Email: sweden@boud.com
Web: www.boud.com

BML Pigmented Bauxite 1.0-3.0mm

BML Pigmented Bauxite is Calcined Bauxite colour coated with a polyurethane resin

Standard Colours:

Black 1682; Blue 1684; Green 1685; Grey 1683; Red 1773; Red Oxide 1686

Chemical Analysis

Calcined Bauxite Base	%
Al ₂ O ₃	75-88
SiO ₂	6-18
TiO ₂	2-3
Fe ₂ O ₃	0.5-2.5
Oxides	0-2.0


Physical Data

Particle Shape	Angular
Specific Gravity g/cm ³	3.70
Bulk Density g/cm ³	2.75-3.1
Hardness (Mohs)	9
Polished Stone Value	70 minimum

Commodity Code

2606 000000

Particle Size Distribution



Packing

25 kilo bags on pallets of 1000 kilos and bulk bags

Issue 1 February 2016

All information is given in good faith but is indicative only and does not constitute a specification.

Boud Minerals Limited

West Bank, Sutton Bridge
Lincolnshire PE12 9UR, UK
Tel: +44 (0)1406 351988
Fax: +44 (0)1406 350897
Email: sales@boud.com
Web: www.boud.com

Boud Minerals AB

Håkantorpsvägen 109
SE-26391 Höganäs, Sweden
Tel: +46 42 333741
Fax: +46 42 333829
Email: sweden@boud.com
Web: www.boud.com

Boud

Minerals

Contact us

Call

UK: +44 (0)1406 351988

Sweden: +46 42 333741

Fax

UK: +44 (0)1406 350897

Sweden: +46 42 333829

Email

UK: sales@boud.com

Sweden: sweden@boud.com

Website

www.boud.com

Download the

Boud Minerals App



Boud Minerals Limited

*West Bank, Sutton Bridge
Lincolnshire PE12 9UR
UK*

Boud Minerals AB

*Håkantorpsvägen 109
SE-26391 Höganäs
Sweden*